



भारतीय प्रौद्योगिकी संस्थान इन्दौर
सिमरोल, खण्डवा रोड, इन्दौर - 453 552

Indian Institute of Technology Indore
Simrol, Khandwa Road, INDORE - 453 552

Ph. : 07324-306958/949
Mail : mms@iiti.ac.in

IIT Indore

RFP No.: IITI(MM)/RFP/HST/2018-2019/01

July 06, 2018

Prebid Report

The meeting for Pre-bid discussion and presentation was held at IIT-Indore on **25/05/2018** from **11.00 AM** onwards for RFP for Supply & Installation of Sensor Flap Barrier Gate & Card Reader.

Total four firms attended the prebid meeting and the detail of the firm is as mentioned below:

1. M/s. Zenith Software Ltd.
2. M/s. Godrej & Boyce Mfg. Co. Ltd.
3. M/s. Toshi Automatic Systems Pvt. Ltd.
4. M/s. Siepmann's card Systems Pvt. Ltd.

The report of the meeting is as below:

Sl. No.	Reference of the Clause/ Page No. of the Tender Document	Query raised by	Query/Clarification/ Deviation sought	Response from IITI
1.		Zenith Software Ltd.	PI allow EMD exemption against MSME registration and SSI registration.	Bid Security (EMD): Earnest Money Deposit (EMD / BidSecurity (BS) has to be submitted by bidders except those who are registered with: I. Micro and Small Enterprises (MSEs) II. Central Purchase Organization (CPO) III. Concerned Ministry / Department. IV. Startups as recognized by Department of Industrial Policy & Promotion (DIPP).
			Concessional GST is it valid for this tender??	No
			Quantity of flap barriers is not mentioned.	4 nos.
			Kindly remove sample submission clause as the product is bulky and weighs approx 50 kgs. Based on the product video demo, request you to waive the sample clause.	Vendor must install and operate a demo equipment for at least 02 weeks
2.	Technical Specification	Godrej & Boyce Mfg. Co. Ltd.,	Most of the Flap Barriers come with CE/FCC certificate. Request you to kindly consider the same to increase the participation of the OEMs.	Ok
			Flap Gate Longevity. Please define specifically the Heavy Duty in terms of MCBFs like more than 5 million or 10 million MCBF.	10 millions

			Water Proof Generally Flap barriers are installed inside the closed premises or under sheds so does not come as Water Proofed.	We need waterproof barriers. We shall also provide canopy additionally
3	Technical Specification	Godrej & Boyce Mfg. Co. Ltd.,	Number of Lanes required to be specified.	4 lanes
			Type of Access Control-Card (RFID, Smart/Proximity) or Biometric to be specified.	All
			Is there any Handicap Lane required?	Yes
			Scope of Power Supply and LAN Connectivity.	Will be provided
			Scope of server for Access Control Software.	Will be provided
			9 It there any Third Party integration required	Yes
			Its required for Indoor or outdoor purpose. If for outdoor purpose then scope of providing canopy for that.	Both canopy will provided outdoor
			Kindly update the Details of reports to be generated through access Control Software.	MIS report periodically to be generated
			Clear Passage Width required to be mentioned.	Around 15 feet
			Grade of the Stainless Steel Body is to be mentioned.	Stainless Steel
4	Technical Specification	Toshi Automatic Systems Pvt. Ltd.	If any specify Dimension required for flap barrier	3-4 feet
			No. of Flap Barriers	4
			Type of card Reader required like numerical & finder etc.	All
5.	Technical Specification	SIEPMANN 'S CARD SYSTEMS PVT. LTD.,	What is the Qty of Flap Gates required?	4
			What is the Qty. of RFID Readers required?	Smart card reader (4-6)
			Is there any specific RFID Card technology being looked at, our suggestion is to opt for Mifare DESFire based Card Technology which complies to ISO 14443 Type A Standards. The same technology has been delivered to IIT Hyderabad as well.	Mifare 14443A
			Will the CAD drawing/graphical representation of the area be shared where the Flap Gates are to be installed?	Yes
			Will the flap gates be installed outdoors or indoors?	Outdoor
			Will the flap gates be given a protective overhead housing and from the sides for protection against direct sun, ingress of water, dust etc.	Canopy will be provided
			Since we will not be able to attend the pre-bid meeting, can we submit the softcopy of the catalogue, presentation along with product videos. Please confirm.	Yes

		Since we are based in New Delhi it would be a huge cost to send a demo piece from New Delhi and to transport it back. Thou we can give you a full-fledged video of the product and also can take you around at live client sites incase ok.	It's better you send the demo equipment
		What is the maximum expected number of users on a day for Flap gates system usage	700
		What is the average number of times a user can be expected to use the flap gate system	6-7 times per day/user
		There is no mention of the scope of ACS Software application	Will be provided

Note:

1. The prospective suppliers are requested to submit the demo Sensor Flap barrier Date along with card reader for demonstration and consideration for further course of action.
2. The detailed catalogue of the item should be submitted along with the bid.

Revised Schedule:

Last Date & Time of Submission of Bid Submission:	July 20, 2018 at 3.00 PM
Date & Time of Bid Opening:	July 20, 2018 at 3.30 PM


Dy. Registrar (MM)

एस.पी.होता/S. P. HOTA
उप कुलसचिव/Deputy Registrar
आई.आई.टी., इन्दौर/IIT Indore

1. The first part of the document
 discusses the importance of
 maintaining accurate records
 for all transactions. It
 emphasizes the need for
 consistency and transparency
 in financial reporting.