

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	06-01-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-01-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Indian Institute Of Technology (iit)
कार्यालय का नाम/Office Name	Indore
कुल मात्रा/Total Quantity	1
वस्तु श्रेणी /Item Category	Steel Porta Cabin (Q3)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the

Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Steel Porta Cabin (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Configuration of Cabin	With one Room and Verandah., With one Room only., With one room, one kitchen and verandah, With three rooms, one kitchen and verandah, With one room - one toilet and one pantry, Hall with attached Room - 1 no, Conference Hall + attached Pantry - 1 no, One no. Toilet (comprising of 2 Urine pot, 1 Toilet Room with Sheet and 1 no. Wash basin)
	Approval of Advance sample	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval., No Advance Sample, Seller agree to submit layout drawing for each TYPE/SIZE porta cabins

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Time period for completion of Erection work at site by seller	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work, Within 20 days of the date of receipt of Purchase order, Within 30 days of the date of receipt of Purchase order
	Suitability / structural stability / completeness of structures, the structure is intended for use in	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temprature range 0 degree C to (+) 50 degree C - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition., In wind condition of 55m/s - in Seismic zone V and ambient temperature up to (+) 50 degree C. Cabin should be structurally stable and suitable to meet severity of these climatic condition
	Type of slope(roof)	One way slope., Two way slope., All side slope., No Slope (self draining type roof)
	Storage provision	1 no. Wooden Cabinet, 1 no. Steel Almirah, N.A
	Provision for Power Connection	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	Wiring	Concealed wiring, Surface wiring
	Provision for Cable , Switches and Junction box connection	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin., Provision for Cable, switches and Junction box Connection not required., Provision of PVC insulated copper wiring - PVC conduits - AC points - Switch - Sockets - Fluorescent lights/LED's - Fans - Exhaust fan and MCB, As per Buyer's choice
	Other requirements	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer., Not required.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	Side wall panel material	1.25 mm thick corrugated HR sheet, 1.6 mm thick steel sheet, PUF Wall Panel – Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet
	Door panel material	Flush door 32 mm thick water proof., Waterproof BWP flush door 34 mm thick, Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 50 mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet, Panel made up of micro ribbing Pre-Painted Galvanized Iron Sheet on both sides(have tongue groove arrangement) and 40mm thick composite PUF sandwich between Pre-Painted Galvanized Iron Sheet
	Window panel material	Powder coated aluminium sliding windows with 4 mm tinted Glass, Polycarbonate sheet of 6 mm thick., Board Aluminium frame (60 mm x 30 mm) sliding shutter with 5 mm plain glass., With aluminium grill protection from inside alongwith mosquito mesh., Aluminium sliding window having dark glass with grill and rain gutter, Aluminum powder coated Sliding window type made of suitable section with 3 mm tinted Glass, Aluminum powder coated Sliding window type made of suitable section with 5 mm tinted Glass
	Door and Window canopy material	Fibreglass Reinforced plastics (F.R.P)., 18 gauge MS corrugated sheet., 1.25 mm thick corrugated HR sheet, N.A, As per Buyer's choice
	Floor panels material	24 mm Block board thickness with FRP coating checkers style., 19 mm thick marine grade plywood confmg. to IS 710 / latest to be laid on top and secured by self - tapping screws to the base members - Covered with 2 mm thick PVC sheets., 16 mm thick marine grade plywood with Vinyl carpet., 15 mm heavy duty cement fiber board inside and outside texture paint., 18 mm thick BWP plyboard mounted on top and above that PVC to be attached on above surface., BWP marine grade ply board 12 mm thick with PVC vinyl sheet on top., 18 mm plywood with 1.5 mm vinyl sheet, 18mm thick cement board with PVC Vinyl carpet top of at least 1.5mm thickness with suitable support on bottom

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Roof panel material	Fibreglass Reinforced plastics (F.R.P), 18 gauge MS corrugated sheet, 2 mm thick plan MS sheet Confrm. to IS 1079, 2 mm thick plan MS sheet Confrm. to IS 513, Insulated Roof to be made of continue line sandwich panels with 0.35 mm thick pre-coated steel sheet (PPGI sheet) having 120GSM with minimum 4 microns epoxy primer on both sides of sheet and polyester top coat minimum 15 microns ON BOTH SIDES OF PUF., Made out of plain GI sheet 0.63 mm thick chemically treated., 75 mm thick panels of thermal insulated stuffed - High grade galvanized steel chemically coated with six layers from inside and outside., 0.45 mm corrugated galvanized colour coated sheet., 1.25 m thick corrugated HR sheet, The PUF insulated Ceiling panels. The covering on ceiling panels shall be micro riving Pre-coated galvanized iron sheet and Self draining Type Roof shall be provided with water proof covering
	Insulation material for sides and End walls	With 50 mm thick glass wool, With polyurethane foam (PUF) having density 40 Kg/CuM \pm 2 Kg / CuM., 30 mm high density thermocol., Resin bonded with EPS thermo-Cole 75 mm thick - sand casted and texture finish / color (outside only), N.A, With 50 mm thick Mineral wool, 50mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation, 40mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation
	Insulation material for Roof	With 75 mm thick glass wool, With polyurethane foam (PUF) having density 40 Kg/CuM \pm 2 Kg / CuM, 30 mm high density thermocol., Resin bonded with EPS thermo-Cole 75 mm thick - sand casted and texture finish / color (outside only), N.A, 50mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation, 40mm thick layer of PU foam of density of 40 \pm 2 kg / CuM as insulation
	Inside panel material for sides, end walls & roof	Consists of 8 mm thick pre-laminated board., Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminated plywood (having colour as per buyer's choice) - fixed with aluminium stiffener and rivets, N.A, The interior shall be aesthetically finished. All vertically and horizontal corners shall be neatly and smoothly finished with suitable Aluminum sections. All inner paneling shall be done by decorative laminated board
FRAME MATERIAL	Roof frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Made of MS having stiffner Top 50 mm x 25 mm x 2.5 mm thick and 32 mm x 32 mm x 2 mm MS sq. tubes, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Top frame MS tube 80 mm X 80 mm (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Side Panel frame	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 3.5 mm thick, Made of MS having stiffner Top 40 mm x 20 mm x 4 mm thick, Supported MS structure with Column - Truss - Portal truss - Purlin - Tie member, MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., Robust structural steel frame laced with cross members and corrugated steel panels, Pillar of 150 mm x 50 mm x 25 mm x 4 mm MS section (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
	Floor panel frame	MS having 50 mm x 50 mm x 1.2 mm, MS having 50 mm x 50 mm x 1.5mm, MS having 50 mm x 50 mm x 2 mm, MS having 50 mm x 50 mm x 3 mm, To be made out with 1.2 mm MS folded section in required size and shape., MS frame of 32 mm x 32 mm size 16 gauge square hollow tube section., MS Tubular pipes of 50 mm x 50 mm heavy gauge., MS structure base frame C channel of size 125 mm x 75 mm and Base filling of MS tubular pipe of 80 mm x 40 mm, interconnecting MS pipe (Materials of structural steel members shall conform to IS: 1079 Grade O/ IS: 2062 Grade A)
Dimensions and Thickness	Inside Length \pm 15 mm	1220 mm, 1525 mm, 1830 mm, 2135 mm, 2210 mm, 2440 mm, 3050 mm, 3960 mm, 6100 mm, 6000 mm, 12200 mm, 9000 mm, 12000 mm
	Inside Width \pm 15 mm	1065 mm, 1220 mm, 1830 mm, 2135 mm, 2210 mm, 2440 mm, 3050 mm, 3660 mm, 1525 mm, 7620 mm, 3000 mm
	Total Height (mm) \pm 15mm	2135 mm, 2285 mm, 2440 mm, 2590 mm, 2750 mm, 2895 mm, 2550 mm
	Roof projection (if any) \pm 10 mm	305 mm to be given on all sides at full height of cabins., 300 mm from the Eaves wall and 150 mm from the Gable walls., 380 mm to be given on all sides at full height of cabins., N.A
	Total thickness of Wall panel \pm 2 mm	75 mm, 47 mm, 40 mm, 30 mm, 20 mm, 15 mm, 50 mm, 55 mm
	Total thickness of Door panel \pm 2 mm	40 mm, 35 mm, 30 mm, 20 mm, 15 mm, 50 mm
	Roof ridge height \pm 10 mm	Total height (i.e. height of side panels) + 610 mm, Total height (i.e. height of side panels) + 760 mm, N.A
	Almirah / Cabinet size \pm 5 mm	760 mm x 405 mm x 750 mm, 760 mm x 405 mm x 1000 mm, 760 mm x 405 mm x 1220 mm, 760 mm x 405 mm x 1525mm, 760 mm x 405 mm x 1650 mm, N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MISCELENIIOUS	Electric fittings	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided., To be supplied alongwith 1 no. ISI marked 355 mm Wall fan with its fittings - 2 nos. 8 watt LED bulbs - one exhaust fan - Fitting and Fixtures for wall fan & exhaust fan and LEDs - 1 no. switch panel / board - 1 no. light plug point to charger., Only electric points to be provided for one fan - One light with switch board for room and one electric point for light in verandah with switch board., Provision for 3 nos. tube light (18 Watt LED light) - 2 nos. wall mounted ceiling fan (300 mm) - 3 nos. plug and socket (3 pin 5 amps electric plug socket)- 1 no main input socket (32 Amp heavy duty 3 pin power socket with MCB)- split AC (1.5 T) provision, N.A, 6 nos. LED/Tube lights - 6 nos. 5 Amp sockets - 3 nos. 15 Amp sockets - 3 nos. Fan wall mounted - 1 no. point for split AC - 1 no. Exhaust fan and MCB at suitable location., As per Buyer's choice
	Number of Windows	1 no. window, 2 nos. windows, 3 nos. Window, 4 nos. Window, 5 nos. Window
	Roof ridge	To be made out from 0.45 mm thick PPGI sheet., N.A
	Flashing item (U track, L corner etc)	To be made out with 0.45 mm thick PPGI sheet in require size and shape., N.A, As per Buyer's choice
	Locking / Security	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft., N.A, Door Locking arrangement from outside with separate handles on both sides of the door. Door fitted with lock and door closure fitted from inside.
COLOUR AND FINISH	Colour	White, Green, Blue, Grey, As per Buyer's choice
	Top coat	Chlorinated rubber paint 50 microns., Bituminous paint., N.A
	Paint outside	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation., Weather texture roller paint, All exterior panels to be white and Blue texture excluding the acrylic / polycarbonate and aluminium frames., As per Buyer's choice, 1 coat primer and 2 coats of enamel exterior paint(colour as per buyer's choice), N.A
	Inside finish	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows), Weather texture roller paint., Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminated plywood with white colour sunmica fixed with aluminium stiffener and rivets, As per Buyer's choice, Inner panelling in all walls and roof provided with Decorative laminated sheet fixed on moisture resistant plywood
	Logo (if any)	Approved logo of desired size to be painted as per Buyer's requirement., No logo

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CERTIFICATION	Test reports to be furnished to buyer's on demand	Yes, No
	OEM of offered product is ISO 9001:2015 certified	Yes, No
	OEM of offered product is ISO 14001:2015 certified	Yes, No
	OEM of offered product is ISO 18001:2007 certified	Yes, No

Additional Specification Parameters - Steel Porta Cabin (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
MS PORTABLE COMPLETELY INSULATED PORTA CABIN FOR CAFÉ WITHOUT INTERIOR WALL PANELLING, THICK AND FALSE CEILING ACP , FLOOR WITH CHEQUERED PLY, 16MM THICK WITH NO TILES, TWO FLAPS 3'x3' , ONE STORE SIZE 8'x10',	PROVISIONS FOR TAPS AND RO, 8NO. WITH 4 NANHI TRAPS FOR SINKS, AND TWO CENTRAL NANHI TRAP ON FLOOR 12' LENGTH, ONE SMALL PARTITION 3'x4', 17 12W PANEL LIGHTS, 4NO.S WALL FANS, 26 POINTS WITH 2.5MM WIRINGS, ONE SHUTTER (TO BE INSTALLED ON SITE), ONE MAIN DOOR SIZE 3'x7', ONE PARTITION DOOR OF ALUMINIUM PARTITION DOOR, NO PLATFORMS AND FURNITURES WILL BE PROVIDED, OVERHEAD 500LTR WATER TANK PROVISION WILL BE PROVIDED, SHUTTER TO BE PROVIDED OUTSIDE, THE 12'x4' WINDOW.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Harsh Raj Singh Chouhan	453552,IIT Indore, Khandwa Road, Simrol, Indore	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original

delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

3. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

5. **Generic**

The Buyer has an existing set up / inventory of similar products. The offered / supplied product must be compatible with existing system. The bidder has to ensure Compatibility of the supplied items or shall have to include in the supply the necessary hardware / software to make them compatible at no extra cost to the buyer. The details of items with which compatibility is required are as under:

All Scope of Work

6. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

7. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

8. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

9. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

10. **Past Project Experience**

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

11. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

MS PORTABLE COMPLETELY INSULATED PORTA CABIN FOR CAFÉ WITHOUT INTERIOR WALL PANELLING, THICK AND FALSE CEILING ACP , FLOOR WITH CHEQUERED PLY, 16MM THICK WITH NO TILES, TWO FLAPS 3'x3', ONE STORE SIZE 8'x10', PROVISIONS FOR TAPS AND RO, 8NO. WITH 4 NANHI TRAPS FOR SINKS, AND TWO CENTRAL NANHI TRAP ON FLOOR 12' LENGTH, ONE SMALL PARTITION 3'x4', 17 12W PANEL LIGHTS, 4N O.S WALL FANS, 26 POINTS WITH 2.5MM WIRINGS, ONE SHUTTER (TO BE INSTALLED ON SITE), ONE MAIN DOOR SIZE 3'x7', ONE PARTITION DOOR OF ALUMINIUM PARTITION DOOR, NO PLATFORMS AND FURNITURES WILL BE PROVIDED, OVERHEAD 500LTR WATER TANK PROVISION WILL BE PROVIDED, SHUTTER TO BE PROVIDED OUTSIDE, THE 12'x4' WINDOW.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid

template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---